Fujitsu recommends Windows® 7.

Data Sheet
Fujitsu LIFEBOOK P771 Notebook

The Slim Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P771 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P771 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Elegant design combined with smallest size
Ultimate mobility for maximum comfort while on the move.
- Starting from 1.3 kg, one of the smallest footprints, robust light-weight magnesium lid as option

Ergonomic working
Enjoy constant access to all your data thanks to a versatile mobile device. The ScrollWheel enables comfortable scrolling, the independent scroll pad doesn´t disturb pointing operation.
- Anti-glare display, 16:10 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, port replicator
- Anytime USB Charge to charge phones/media devices even when the system is switched off

Maximum security
Protect your company data against unauthorized third-party access.
- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software

Reliable Companion
Secure and effective working even for the most demanding of users in all situations.
- Spill-resistant keyboard, ShockSensor, magnesium lid and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Highest flexibility
Configure the system for your needs, variety of options are available.
- Modular bay for DVD drive, second battery or the world's first Bay Projector, optional embedded 3G/ UMTS, SSD drive, port replicator

Fujitsu recommends Windows® 7.

Components

Operating systems		
Operating system	Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit Windows® 7 Home Basic (EM) 64-bit	
Operating system compatible	Windows® XP Professional Windows Vista® Business 32-bit	
Operating system notes	Driver support for Microsoft® Windows® XP	
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
Base unit memory	**LIFEBOOK P771, glossy black**	**LIFEBOOK P771, matt**
Supported capacity RAM (max.)	8 GB	
Memory slots total	2	
Memory slot type	DIMM (DDR3)	
Hard disk drives (internal)	SSD SATA III, 128 GB, 2.5-inch SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized) SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)	
WLAN (optional)	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n	
Wireless technologies		
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna	
WLAN notes	Import and usage according to country-specific regulations.	
WiDi support	Yes (with Intel W-LAN)	
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.767 Mbit/s)	
Bluetooth (optional)	Bluetooth 3.0	
Modular bay options	2nd battery Bay Projector DVD Super Multi Weight saver	

Base unit	LIFEBOOK P771, glossy black	LIFEBOOK P771, matt
General system information		
Processor	Intel® Core™ i7-2617M processor (1.5 GHz), 4 MB,	Intel® Core™ i5-2520M processor (2.5 GHz), 3 MB,
Chipset	Intel® QM67	
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN 6205 & TPM module	

Fujitsu recommends Windows® 7.

General system information		
BIOS features	BIOS based on Phoenix SecureCore	
Display		
Display	30.7 cm (12.1-inch), TFT, (WXGA), LED anti-glare display, 1280 x 800 pixel	
Display notes	magnesium lid	compound lid
Graphics		
TFT resolution (HDMI)	up to 1920 x 1080	up to 1920 x 1080
TFT resolution (VGA)	up to 1920 x 1200	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200	up to 1920 x 1200
Max. resolution external display	1920 x 1200 / true color / 60 Hz	1920 x 1200 / true color / 60 Hz
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics 3000
Graphics features	DualView	DualView
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system
Interfaces		
Memory card slots	1 (SD)	
ExpressCard slots	1 (34 mm and 54 mm supported)	
SIM card slot	1 (usable only with 3G/UMTS)	
USB 3.0 total	2 (1 with Anytime USB Charge functionality)	
USB 2.0 total	1	
VGA	1	
HDMI	1	
Ethernet (RJ-45)	1	
DC-in	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone	1	
Internal microphones	1 (digital)	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
Wired communication		
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	
Keyboard and pointing devices		
	Spill-resistant keyboard	
	Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm	
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel Optional: Fingerprint sensor Application buttons	
Multimedia		
Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	Stereo speakers, 1x built-in microphone	
Camera	Optional: Built-in webcam, 2.0 megapixel	Optional: Built-in webcam, 1.3 megapixel
Power supply		
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology	
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter	
	19 V / 120 W (6.32 A), 110 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter	
	19 V / 60 W (3.16 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim Adapter	
	19 V / 60 W (3.16 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter	
Notes	60 W AC Adapters are only available with LIFEBOOK P771 glossy model.	
1st battery options	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh	
	Li-Ion battery 6-cell, 6200 mAh, 67 Wh	

Power supply		
2nd battery (optional)	Li-Ion battery 3-cell, 2500 mAh, 27 Wh	
Runtime 1st battery	Up to 13 h	Up to 10 h
Runtime 1st + 2nd battery	Up to 18 h	Up to 15 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5,800 mAh batteries	
Power consumption		
Power consumption note	See white paper Energy Consumption	
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=d46eb7d6-2580-46ae-8f0d-793c37303b7a	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	282 x 215 x 29.9 mm	283 x 215 x 32.5 mm
Weight	1.3 kg	1.5 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.	
Operating ambient temperature	5 - 35°C	
Operating relative humidity	20 - 85 % (running)	
Additional Software		
Additional software (preinstalled)	Adobe® Reader® Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)	
Manageability		
Manageability technology	DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology	
Manageability software	DeskView 10.x client management including:	
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	
Security		
System protection	Kensington Lock support	
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Norton Internet Security (incl. Firewall) 60 days version Computrace® enabled BIOS Advanced Theft Protection	

Security	
Access protection	Optional: Integrated fingerprint sensor including OmniPass software Optional: Access protection via external SmartCard reader Hard disk password User and supervisor BIOS password

Compliance	
Europe	CE
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/

Port Replicator interfaces (optional)	
DC-in	1 (19V)
Power on switch	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
eSATA	1
Notes	Port replicator supports 0-Watt functionality. Display port is shared with DVI - exclusive usage

Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)

Maintenance and Support Services - the perfect extension	
Recommended Service	3 years, Collect and Return Service, where available: On-site Service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator

Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu docking options. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.

Order Code: S26391-F977-L100

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)		The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.	Order Code: S26391-F977-L200
2nd battery		With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working – free from the power socket!	Order Code: S26391-F974-L500
Microsaver® DS Ultra thin		The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.	Order Code: S26361-F1650-L900
Privacy filter		Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.	Order Code: S26391-F6097-L312
Supreme Case Midi 13		The Supreme Case Midi 13 protects notebooks with up to 13 inch screens. A padded notebook compartment with shock-absorbing foam ensures your notebook is well protected. A further pocket is provided for storage of power adaptors and office supplies. With its leather finish and professional design, it is ideal as a functional business case.	Order Code: S26391-F119-L750
Fujitsu Bay Projector		The Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.	Order Code: S26391-F974-L600
HS S2000NC Headset		The HS S2000NC Headset offers more than current headsets. Besides superb sound quality, the headset provides an impressive feature: a button to switch off noise and disburden your ears of unwanted noise level. Thanks to a special technology based on wave inversion this headset reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for long hours travelling by rail or air.	Order Code: S26391-F7139-L3

Fujitsu recommends Windows® 7.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK P771, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P771, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT
FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-07-25 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions